

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-08931
 Name of Facility: Angelou, Maya Elementary/ Loc.#0111
 Address: 1850 NW 32nd Street
 City, Zip: Miami 33142

 Type: School (more than 9 months)
 Owner: M-DCSB Food and Nutrition
 Person In Charge: Lenora Johnson Phone: 305-636-3499
 PIC Email: 202892@dadeschools.net

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 11:40 AM
Inspection Date: 3/10/2021	Number of Repeat Violations (1-57 R): 1	End Time: 12:40 PM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	StopSale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- IN** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- IN** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

<p>SAFE FOOD AND WATER</p> <p><u>IN</u> 30. Pasteurized eggs used where required</p> <p><u>IN</u> 31. Water & ice from approved source</p> <p><u>NA</u> 32. Variance obtained for special processing</p> <p>FOOD TEMPERATURE CONTROL</p> <p><u>IN</u> 33. Proper cooling methods; adequate equipment</p> <p><u>IN</u> 34. Plant food properly cooked for hot holding</p> <p><u>IN</u> 35. Approved thawing methods</p> <p><u>IN</u> 36. Thermometers provided & accurate</p> <p>FOOD IDENTIFICATION</p> <p><u>IN</u> 37. Food properly labeled; original container</p> <p>PREVENTION OF FOOD CONTAMINATION</p> <p><u>IN</u> 38. Insects, rodents, & animals not present</p> <p><u>IN</u> 39. No Contamination (preparation, storage, display)</p> <p><u>IN</u> 40. Personal cleanliness</p> <p><u>IN</u> 41. Wiping cloths: properly used & stored</p> <p><u>IN</u> 42. Washing fruits & vegetables</p> <p>PROPER USE OF UTENSILS</p> <p><u>IN</u> 43. In-use utensils: properly stored</p> <p><u>IN</u> 44. Equipment & linens: stored, dried, & handled</p> <p><u>IN</u> 45. Single-use/single-service articles: stored & used</p>	<p><u>IN</u> 46. Slash resistant/cloth gloves used properly</p> <p>UTENSILS, EQUIPMENT AND VENDING</p> <p><u>OUT</u> 47. Food & non-food contact surfaces</p> <p><u>IN</u> 48. Ware washing: installed, maintained, & used; test strips</p> <p><u>IN</u> 49. Non-food contact surfaces clean</p> <p>PHYSICAL FACILITIES</p> <p><u>IN</u> 50. Hot & cold water available; adequate pressure</p> <p><u>IN</u> 51. Plumbing installed; proper backflow devices</p> <p><u>IN</u> 52. Sewage & waste water properly disposed</p> <p><u>IN</u> 53. Toilet facilities: supplied, & cleaned</p> <p><u>OUT</u> 54. Garbage & refuse disposal</p> <p><u>OUT</u> 55. Facilities installed, maintained, & clean (R)</p> <p><u>IN</u> 56. Ventilation & lighting</p> <p><u>IN</u> 57. Permit; Fees; Application; Plans</p>
---	---

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #47. Food & non-food contact surfaces Walk-in freezer not freezing, temperature measured 35F. PIC placed work order#4175988, however no repair has been made. Repair freezer. Equipment must be in good repair.</p> <p>CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #54. Garbage & refuse disposal Garbage dumpster lid open. Close dumpster lid to prevent vector harborage. PIC closed dumpster; Corrected on site.</p> <p>CODE REFERENCE: 64E-11.003(5). Garbage shall be disposed of to prevent vector harborage. Trash cans will be durable, cleanable, leak proof, insect and rodent resistant, and non-absorbent. Outside storage area shall be of a smooth, non-absorbent material and sloped to a drain.</p>
<p>Violation #55. Facilities installed, maintained, & clean Observed water damaged ceiling tile with black biological growth and bulging water soaked located above three compartment sink. Investigate source of water intrusion, repair, and replace ceiling tiles.</p> <p>HVAC vent grill/guards with dust and dirt accumulation in kitchen restroom. Clean and sanitize.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Conducted inspection with Ms. Lenora Johnson. Inspection report emailed.

Walk-in refrigerator temperature measured 38F

Handwashing sink hot water temperature measured 101.3F

Three compartment sink hot water temperature measured 112.6F

Mop sink hot water temperature measured 114.9F

Hot food temperatures measured:

Lasagna; 135.5F

Cold food temperatures measured:

Low fat milk; 39.2F

Email Address(es): 202892@dadeschools.net;

dmlewis@dadeschools.net;

IPalacio@dadeschools.net;

JWare@dadeschools.net;

jaybolton@dadeschools.net

Inspection Conducted By: Kimberly Henry (913288)
Inspector Contact Number: Work: (305) 623-3500 ex.
Print Client Name: Emailed to Mrs. Lenora 3/10/21
Date: 3/10/2021

Inspector Signature:

Handwritten signature of the inspector, appearing as a stylized 'K' followed by a flourish.

Client Signature:

Handwritten signature of the client, which reads "Emailed to Mrs. Lenora 3/10/21".